

P. 01
OFFICIALRECEIVED
CENTRAL FAX CENTER

AUG 20 2004

WORKMAN NYDEGGER
 A PROFESSIONAL CORPORATION
 ATTORNEYS AT LAW
 1000 EAGLE GATE TOWER
 60 EAST SOUTH TEMPLE
 SALT LAKE CITY, UTAH 84111
 TELEPHONE (801) 533-9800
 FAX (801) 328-1707

TELECOPIER COVER SHEET

August 20, 2004

Total Number of Pages
 (including cover letter):

33

Please deliver the transmitted facsimile pages to:

PATENT EXAMINER RAMANA

Business Phone: (703) 308-2695
 Telecopier Phone: (703) 872-9306
 From: John M. Guynn
 Comments: Serial No. 09/977,154

RECEIVED
AUG 24 2004
OPIE/JCHS

Please see attached.

Docket No.: 14000.11

 We are transmitting from a Sharp FO-750 or Sharp FO-6100 facsimile machine. If you do not receive all the pages or they are unreadable, please contact me as soon as possible at (801) 533-9800.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ABOVE. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, OR THE EMPLOYEE OR AGENT RESPONSIBLE TO DELIVER IT TO THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ABOVE ADDRESS VIA THE U.S. POSTAL SERVICE. THANK YOU.

MLA0000002176V001

FILED VIA FACSIMILEPATENT APPLICATION
Docket No. 14000.11

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Hugh S. West, Jr., M.D.

RECEIVED
CENTRAL FAX CENTER

AUG 20 2004

Serial No. 09/977,154

) Art Unit
3732

Confirmation No. 3848

)

Filed: October 12, 2001

)

For: IMPROVED INTERFERENCE SCREW
HAVING INCREASED UPPER DIAMETER

)

Examiner: Anu Ramana

)

OFFICIAL
RECEIVEDCERTIFICATE OF FACSIMILE TRANSMISSION

Mail Stop AMENDMENT
 Commissioner for Patents
 P.O. Box 1450
 Alexandria, VA 22313-1450

Sir:

I hereby certify that this paper is being transmitted via facsimile at facsimile number 801-328-1707 to the Patent and Trademark Office to phone no. 703-872-9306 (Formal Fax No.) on the date shown below.

- Transmittal Letter (2 pages)
- Form PTO-2038 in the amount of \$120
- Amendment "C" (24 pages)

Dated this 20th day of August 2004.

Respectfully submitted,



John M. Guynn
 Attorney for Applicant
 Registration No. 36,153
 Customer No. 022913

MLA0000002175V001

FILED VIA FACSIMILE TRANSMISSION

WORKMAN | NYDEGGER
INTELLECTUAL PROPERTY ATTORNEYS

RICK D. NYDEGGER
BRENT P. LOHMAYER
THOMAS R. VUKSINICH
LARRY R. JAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRICKHAM
JOHN M. GUYN
CHARLES L. ROBBATS
DANA L. TANGHAN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
RODYN L. PHILLIPS
RICHARD C. GILMOUR
STERLING A. BRENNAN
R. BURNS ISRAELSON
DAVID R. TODD
GREGORY M. TAYLOR
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED



R. PARRISH FREEMAN, J.D.
PETER F. MALEN, J.D.
L. REX SEARS, Ph.D.
WILLIAM R. RICHTER
ERIC M. KAMBRATTI
ROBERT E. AYCOCK
JENS C. JENKINS
KEVIN W. STINGER
WILLIAM J. ATHAY
MICHAEL B. DODD
RYAN D. BENNON
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TOWN
J. LAVAR OLDFHAM
MICHAEL J. PROFISHAM
JOSEPH L. KRUPA
BRETT A. HANSEN
BRETT I. JOHNSON
MATTHEW A. HARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHARI E. NYDEGGER
JOSEPH G. PA
CLINTON E. DUGG
DAVID J. LORENZ †
RYAN N. FARR
JAMES B. BELMILL

PATENT APPLICATION

Docket No. 14000-11
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: [HTTP://WWW.WNLAW.COM](http://www.wnlaw.com)

OFFICIAL
RECEIVED
CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

AUG 20 2004

Hugh S. West, Jr., M.D.

Serial No. 09/977,154

Art Unit
3732

Confirmation No. 3848

)

Filed: October 12, 2001

)

For: IMPROVED INTERFERENCE SCREW
HAVING INCREASED UPPER DIAMETER

)

Examiner: Anu Ramana

)

Assistant Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

TRANSMITTAL FOR AMENDMENT "C" AND RESPONSE

Sir:

Transmitted herewith is an amendment for entry in the above-identified application.

The fee for the amendment has been calculated as follows.

Commissioner of Patents
 August 20, 2004
 Page 2

			SMALL ENTITY		LARGE ENTITY	
CLAIMS REMAINING AFTER	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDT'L FEE	RATE	ADDT'L FEE
TOTAL 32	MINUS 30	= 7	X9		X18	\$36
INDEPENDENT 7	MINUS 6	= 1	X42		X84	\$84
1 st PRESENTATION OF MULTIPLE DEPENDENT CLAIM			+140=		+280=	
			TOTAL		TOTAL	\$120

The Commissioner is hereby authorized to charge payment of the above fees associated with this communication to the enclosed Form PTO-2038 in the amount of \$120.

The Commissioner is hereby authorized to charge payment of any additional fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this sheet are attached.

Any filing fees under 37 CFR 1.16 for the presentation of extra claims.

Any patent application processing fees under 37 CFR 1.17.

Dated this 20th day of August 2004.

Respectfully submitted,



JOHN M. GUYNN
 Attorney for Applicant
 Registration No. 36,153
 Customer No. 022913

JMG:mla
 W:\14000\11\MLA0000002177V001.doc

RECEIVED
CENTRAL FAX CENTER

OFFICIAL

FILED VIA FACSIMILE

AUG 20 2004

PATENT APPLICATION
Docket No. 14000.11

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Hugh S. West, Jr., M.D.

Serial No. 09/977,154

Art Unit

3732

Confirmation No. 3848

Filed: October 12, 2001

For: IMPROVED INTERFERENCE SCREW
HAVING INCREASED UPPER DIAMETER

Examiner: Anu Ramana

AMENDMENT "C" AND RESPONSE

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action of May 20, 2004, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 11 of this paper.

08/24/2004 SSESHE1 00000116 233178 09977154

01 FC:1202 36.00 OP
02 FC:1201 2.00 DA 84.00 OP